

# ProLine Touch

## Hand Pallet Jack Scale

MOBILE  
WEIGHING  
SYSTEMS

Mobile weighing provides a variety of benefits including speed, efficiency, and accuracy. The RAVAS ProLine Touch adds to that list by becoming the first weighing hand pallet truck equipped with a touch screen indicator that calculates weight in increments of 3.5 ounces. It's perfect for use in the food, pharmaceutical, and chemical industries, and parts supply chains.

### Enhance Your Logistical and Production Processes

- Accurately piece counts and weighs
- Advanced scale functions for dosing
- 7.1" touch screen indicator with advanced functions
- Programmable user interface
- USB port for data capture
- 12-hours of battery life



Touch screen indicator has a programmable user interface


FlexBolt® technology absorbs torque forces

# ProLine Touch

## FUNCTIONS

- Automatic and manual zero correction
- Internal clock for date and time
- Error messages in display
- Piece counting by sampling or calculation of piece weights
- Totalling
- Entry of alphanumeric codes
- Automatic and manual tare via touch screen
- Gross/net weighing
- Weighing, Counting, Totalizing and Dosing

## DIMENSIONS



### STANDARD

<b>A</b>	Fork Length	48"
<b>B</b>	Fork Width	7.1"
<b>C</b>	Minimum Fork Height	3.0"
	Ground Clearance	0.7"
<b>D</b>	Maximum Fork Height	7.9"
	Lifting Height	4.8"
<b>E</b>	Width Over Forks	27.2"
<b>F</b>	Height to Top Indicator	44"

## STANDARD SPECIFICATIONS

### CAPACITY

- 5,000 lb

### GRADUATION MULTIRANGE

Multirange:

- 0 - 400 lb: graduation 0.2 lb
- 400 - 1,000 lb: graduation 0.5 lb
- 1,000 - 5,000 lb: graduation 1 lb

### MAXIMUM TOLERANCE

- 0.08% of the load lifted

### DISPLAY

- 7.1", high resolution touch screen

### PROTECTION CLASS

- NEMA 4 / IP65

### POWER CONSUMPTION

- 360 mA

### BATTERY

- 12V, by 2 exchangeable battery modules 6V-4,8Ah

### BATTERY CYCLE TIME

- 15 hours, charging time 6 hours

### CHARGER

- 110V NiMH charger

### PROTECTION CLASS

- NEMA 4 / IP65

### POWER CONSUMPTION

- 360 mA

### BATTERY

- 12V, by 2 exchangeable battery modules 6V-4,8Ah

### BATTERY CYCLE TIME

- 15 hours, charging time 6 hours

### CHARGER

- 110V NiMH charger

